



Semitech strækmetal lagerliste

Ubehandlet stål:

Maske str.	Vægt	Matriale	Format	Åbning
LW x SW x Ribbe x Gods				
4 x 2 x 0,6 x 0,5	4,70 kg/stk.	DC01/DC04	1000 x 2000	40%
6 x 3 x 0,8 x 0,5	4,20 kg/stk.	DC01/DC04	1000 x 2000	47%
10 x 5 x 1,6 x 0,8	8,04 kg/stk.	DC01/DC04	1000 x 2000, fladv.	36%
10 x 5 x 1,6 x 0,8	8,00 kg/stk.	DC01/DC04	1000 x 2000	36%
16 x 6 x 1,6 x 0,8	6,70 kg/stk.	DC01/DC04	1000 x 2000	47%
42 x 12 x 1,6 x 0,8	3,22 kg/stk.	DC01	1000 x 2000	73%
8 x 7 x 1 x 1	4,49 kg/stk.	DC03	1000 x 2000, fladv.	71%
8 x 7 x 1 x 1	4,01 kg/stk.	DC03	1250 x 2500, fladv.	71%
10 x 5 x 1,6 x 1	10,00 kg/stk.	DC01/DC04	1000 x 2000	36%
16 x 8 x 1,6 x 1	6,30 kg/stk.	DC01/DC04	1000 x 2000	60%
16 x 13 x 1,6 x 1	4,20 kg/stk.	DC01/DC04	1000 x 2000	75%
22 x 12 x 2 x 1,5	7,90 kg/stk.	DC01/DC04	1000 x 2000, fladv.	67%
42 x 12 x 2 x 1,5	7,90 kg/stk.	DC01	1000 x 2000, fladv.	67%
16 x 12 x 1,5 x 1,5	5,89 kg/stk.	DC03	1000 x 2000, fladv.	75%
20 x 15 x 1,7 x 1,5	5,34 kg/stk.	DC03	1000 x 2000, fladv.	77%
20 x 15 x 1,7 x 1,5	8,34 kg/stk.	DC03	1250 x 2500, fladv.	77%
22 x 12 x 2 x 1,5	7,90 kg/stk.	DC01/DC04	1000 x 2000	67%
25 x 15 x 2,5 x 1,5	7,90 kg/stk.	DC01/DC04	1000 x 2000	67%
28 x 9 x 2 x 1,5	11,80 kg/stk.	DC01	1000 x 2000	56%
42 x 12 x 2 x 1,5	7,90 kg/stk.	DC01	1000 x 2000	67%
42 x 12 x 2 x 1,5	12,30 kg/stk.	DC01	1250 x 2500	67%
47 x 18 x 8 x 1,5, hex .	31,00 kg/stk.	DC01	1500 x 2000	11%
47 x 18 x 8 x 1,5, hex .	31,00 kg/stk.	DC01	2000 x 1500	11%
90 x 32 x 13 x 1,5	28,30 kg/stk.	DC01	1500 x 2000	19%
90 x 32 x 13 x 1,5	28,30 kg/stk.	DC01	2000 x 1500	19%
90 x 32 x 13 x 1,5	35,88 kg/stk.	DC01	2500 x 1500	19%
125 x 52 x 24 x 1,5	32,70 kg/stk.	DC01	1500 x 2000	8%
22 x 12 x 3 x 2	13,08 kg/stk.	DC01/DC04	1000 x 2000, fladv.	50%
62,5 x 20 x 3 x 2	9,90 kg/stk.	DC01	1000 x 2000, fladv.	70%
22 x 12 x 3 x 2	15,70 kg/stk.	DC01/DC04	1000 x 2000	50%
22 x 12 x 3 x 2	24,10 kg/stk.	DC01/DC04	1250 x 2500	50%
42 x 12 x 3 x 2	15,70 kg/stk.	DC01	1000 x 2000	50%
42 x 12 x 3 x 2	24,50 kg/stk.	DC01	1250 x 2500	50%
42 x 12 x 3 x 2	23,60 kg/stk.	DC01	2000 x 1500	50%
43 x 13 x 2,5 x 2	13,00 kg/stk.	DC01	1000 x 2000	62%
43 x 13 x 2,5 x 2	18,87 kg/stk.	DC01	1250 x 2500	62%
50 x 18 x 3 x 2	10,50 kg/stk	DC01	1000 x 2000	67%
62,5 x 20 x 3 x 2	9,90 kg/stk.	DC01	1000 x 2100	70%
47 x 13 x 5 x 3, hex .	14,49 kg/stk.	DD11/S235JRG2	1000 x 800	23%
47 x 13 x 5 x 3, hex .	21,80 kg/stk.	DD11/S235JRG2	1000 x 1200	23%
47 x 13 x 5 x 3, hex .	36,00 kg/stk.	DD11	1250 x 1600	23%
47 x 13 x 5 x 3, hex .	47,67 kg/stk.	DD11/S235JRG2	1500 x 1900	23%
50 x 37 x 4,5 x 3	11,46 kg/stk.	S235JRG2	1000 x 2000, fladv.	76%
50 x 37 x 4,5 x 3	17,90 kg/stk.	S235JRG2	1250 x 2500, fladv.	76%
62,5 x 20 x 3 x 3	14,10 kg/stk.	DD11/S235JRG2	1000 x 2000	70%
62,5 x 20 x 3 x 3	22,10 kg/stk.	DD11/S235JRG2	1250 x 2500	70%
62,5 x 20 x 4 x 3	23,60 kg/stk.	DD11/S235JRG2	1250 x 2000	70%

Maske str.	Vægt	Matriale	Format	Åbning
LW x SW x Ribbe x Gods				
62,5 x 20 x 4 x 3	33,90 kg/stk.	DD11/S235JRG2	1500 x 2400	60%
62,5 x 20 x 6 x 3	35,30 kg/stk.	DD11/S235JRG2	1250 x 2000	40%
62,5 x 20 x 6 x 3	50,80 kg/stk.	DD11/S235JRG2	1500 x 2400	40%
62,5 x 25 x 3 x 3	11,30 kg/stk.	DD11/S235JRG2	1000 x 2000	52%
62,5 x 25 x 3 x 3	17,60 kg/stk.	DD11/S235JRG2	1250 x 2500	52%
62,5 x 15 x 5 x 3	35,30 kg/stk.	DD11/S235JRG2	1250 x 1700	33%
62,5 x 15 x 5 x 3	49,80 kg/stk.	DD11/S235JRG2	1500 x 2000	33%
90 x 31,5 x 4 x 3	18,00 kg/stk.	DD11/S235JRG2	1250 x 2400	75%
125 x 40 x 4 x 3	11,80 kg/stk.	DD11/S235JRG2	1250 x 2000	80%
150 x 50 x 4 x 3	9,50 kg/stk.	DD11/S235JRG2	1250 x 2000	84%
90 x 31,5 x 4 x 4	24,00 kg/stk.	S235JRG2	1250 x 2400	75%

Alle mål angivet i mm.

Hex . = Hexagonal (sekskantet maske)

Rustfrit stål:

Maske str.	Vægt	Matriale	Format	Åbning
LW x SW x Ribbe x Gods				
10 x 5 x 1 x 0,5	4,00 kg/stk.	1.4301	1000 x 2000	60%
28 x 9 x 1,6 x 1	6,30 kg/stk.	1.4301	1000 x 2000	64%
20 x 15 x 1,7 x 1,5	5,34 kg/stk.	1.4301	1000 x 2000, fladv.	74%
42 x 12 x 3 x 2	15,70 kg/stk.	1.4301	1000 x 2000	50%

Alle data er angivet i mm.

Aluminium:

Maske str.	Vægt	Matriale	Format	Åbning
LW x SW x Ribbe x Gods				
6 x 3 x 0,8 x 0,5	1,70 kg/stk.	ENAW1050 H24	1000 x 2000	47%
10 x 5 x 1 x 0,8	2,20 kg/stk.	ENAW1050 H24	1000 x 2000	60%
16 x 8 x 1,5 x 1	2,02 kg/stk.	ENAW1050-A H24	1000 x 2000	63%
22 x 12 x 2,5 x 1	2,10 kg/stk.	ENAW1050 H24	1000 x 2000	58%
150 x 56 x 21 x 2, hex .	12,15 kg/stk.	ENAW1050 H24	2000 x 1500	25%
150 x 56 x 21 x 2, hex .	11,50 kg/stk.	ENAW1050 H24	2000 x 1500	25%
			Produceret af perforeret plade med perforering R3-T5	
200 x 70 x 20 x 2	9,26 kg/stk.	ENAW1050 H24	2000 x 1500mm	43%

Alle data er angivet i mm.

Pregalvaniseret Stål:

Maske str.	Vægt	Matriale	Format	Åbning
LW x SW x Ribbe x Gods				
6 x 3,4 x 1 x 0,5	4,71 kg/stk.	D x 51D+Z	1000 x 2000	41%
6 x 3,4 x 1 x 0,5	7,35 kg/stk.	D x 51D+Z	1250 x 2500	41%
5 x 3,8 x 1 x 0,7, rund	5,89 kg/stk.	D x 51D+Z	1000 x 2000, fladv.	47%
10 x 7,62 x 1,4 x 0,7, rund	4,12 kg/stk.	D x 51D+Z	1000 x 2000, fladv.	63%
10 x 7,62 x 1,4 x 0,7, rund	6,43 kg/stk.	D x 51D+Z	1250 x 2500, fladv.	63%

Alle data er angivet i mm.

Ubehandlet stål:

Maske str.	Vægt	Matriale	Format	Åbning
LW x SW x Ribbe x Gods				
62 x 21 x 4,5 x 3	20,50	Ubehandlet stål	1000 x 2000	57%
8 x 6,7 x 1 x 1, kvadrat	4,78	Ubehandlet stål	1000 x 2000 , fladv.	70%
10 x 4,5 x 1,5 x 1	10,70	Ubehandlet stål	1000 x 2000	33%
115 x 40 x 7 x 4	22,40	Ubehandlet stål	1000 x 2000	65%
20 x 10 x 1,5 x 1	4,80	Ubehandlet stål	1000 x 2000	70%
28 x 12 x 2,5 x 2	29,30	Ubehandlet stål	1500 x 3000	58%
28 x 12 x 2,5 x 1	6,70	Ubehandlet stål	1000 x 2000	58%
28 x 12 x 2,5 x 2	13,30	Ubehandlet stål	1000 x 2000	58%
28 x 12 x 2,5 x 2	20,80	Ubehandlet stål	1250 x 2500	58%
42 x 12 x 2,5 x 1	6,70	Ubehandlet stål	1000 x 2000	58%
42 x 13 x 3 x 2	14,80	Ubehandlet stål	1000 x 2000	54%
42 x 13 x 3 x 2	23,10	Ubehandlet stål	1250 x 2500	54%
45 x 13,4 x 5 x 3	56,00	Ubehandlet stål	1250 x 2500	25%
6 x 3 x 1 x 0,5	2,70	Ubehandlet stål	1000 x 2000	33%
6 x 3,7 x 0,5 x 0,5	2,20	Ubehandlet stål	1000 x 2000	73%
62 x 21 x 2,5 x 1,5	5,70	Ubehandlet stål	1000 x 2000	76%
62 x 21 x 2,5 x 2	7,60	Ubehandlet stål	1000 x 2000	76%
62 x 23 x 7 x 3	29,20	Ubehandlet stål	1000 x 2000	39%
62 x 23 x 7 x 3	45,70	Ubehandlet stål	1250 x 2500	39%
62 x 25 x 3 x 3	11,50	Ubehandlet stål	1000 x 2000	76%
62 x 25 x 5 x 3	30,00	Ubehandlet stål	1000 x 2000	60%
62 x 25 x 5 x 3	30,00	Ubehandlet stål	1250 x 2500	60%
62 x 25 x 4 x 3	15,40	Ubehandlet stål	1000 x 2000	68%
62 x 25 x 4 x 3	24,00	Ubehandlet stål	1250 x 2500	68%
62 x 25 x 4 x 3	24,00	Ubehandlet stål	2500 x 1250	68%
76 x 35 x 3 x 3	12,90	Ubehandlet stål	1250 x 2500	83%
90 x 40 x 3 x 3	15,00	Ubehandlet stål	1250 x 2500	85%

Alle data er angivet i mm.

Prægalvaniseret:

Maske str.	Vægt	Matriale	Format	Åbning
LW x SW x Ribbe x Gods				
10 x 7,6 x 1,4 x 1, rund	13,20	Prægalvaniseret	1500 x 3000 , fladv.	63%
10 x 7,6 x 1,4 x 0,7, rund	4,10	Prægalvaniseret	1000 x 2000 , fladv.	63%
10 x 7,6 x 1,4 x 1, rund	5,90	Prægalvaniseret	1000 x 2000 , fladv.	63%
10 x 7,6 x 1,4 x 1, rund	9,20	Prægalvaniseret	1250 x 2500 , fladv.	63%
20 x 16,8 x 2,5 x 1, rund	4,80	Prægalvaniseret	1000 x 2000 , fladv.	70%
20 x 16,8 x 2,5 x 1, rund	7,40	Prægalvaniseret	1250 x 2500 , fladv.	70%
5 x 3,8 x 1 x 0,7, rund	5,90	Prægalvaniseret	1000 x 2000 , fladv.	47%
5 x 3,8 x 1 x 1, rund	11,90	Prægalvaniseret	1000 x 2000 , fladv.	42%
8 x 6,5 x 1,4 x 1, rund	6,90	Prægalvaniseret	1000 x 2000 , fladv.	57%
8 x 6,5 x 1,4 x 1, rund	10,80	Prægalvaniseret	1250 x 2500 , fladv.	57%
10 x 7,5 x 1 x 1, kvadrat	4,27	Prægalvaniseret	1000 x 2000 , fladv.	73%
16 x 14 x 1 x 1, kvadrat	2,29	Prægalvaniseret	1000 x 2000 , fladv.	86%
20 x 17 x 1,5 x 1, kvadrat	2,82	Prægalvaniseret	1000 x 2000 , fladv.	82%
8 x 6,7 x 1 x 1, kvadrat	4,78	Prægalvaniseret	1000 x 2000 , fladv.	70%
16 x 8 x 2,5 x 1,5	23,40	Prægalvaniseret	1250 x 2500	38%
42 x 13 x 3 x 2	14,80	Prægalvaniseret	1000 x 2000	54%
52 x 25 x 3 x 2	12,00	Prægalvaniseret	1250 x 2500	76%

Alle data er angivet i mm.

Aluminium:

Maske str.	Vægt	Matriale	Format	Åbning
LW x SW x Ribbe x Gods				
10 x 7,6 x 1,4 x 1, rund	2,00	Aluminium	1000 x 2000 , fladv.	63%
14 x 12 x 1 x 1, kvadrat	0,90	Aluminium	1000 x 2000 , fladv.	83%
10 x 5 x 1 x 1	2,20	Aluminium	1000 x 2000	60%
28 x 12 x 2,5 x 2	4,50	Aluminium	1000 x 2000	58%
6 x 3 x 1 x 0,5	1,80	Aluminium	1000 x 2000	33%
62 x 23 x 7 x 3	9,90	Aluminium	1000 x 2000	39%
110 x 52 x 24 x 2	10,00	Aluminium	1000 x 2000	8%

Alle data er angivet i mm.

Rustfrit stål:

Maske str.	Vægt	Matriale	Format	Åbning
LW x SW x Ribbe x Gods				
16 x 8,4 x 1,25 x 1	7,40	Rustfrit stål	1250 x 2500	69%
28 x 12 x 2,5 x 1	6,70	Rustfrit stål	1000 x 2000	58%
6 x 3,8 x 0,8 x 0,5	3,40	Rustfrit stål	1000 x 2000	58%

Alle data er angivet i mm.

Ring 57 52 75 75
for tilbud på dit projekt ...