

Vi tilbyder net-typer i både standard- og specialudførelse.

Her nedenfor ses de typer som er på lager og kan leveres indenfor 1-2 uger.



Specifikationer - presgitter:

Masker	Tråd (Ø)	Vægt (kg/m ²)	Materiale	Dimensioner	Dimensioner
10 x 10	1,6	2,7	Stål	1000 x 2000	
	1,6	1,0	Al	1000 x 25,0	1200 x 25,0
	2,5	6,4	Stål		1000 x 25,0
12 x 12	1,5	2,5	304	1000 x 2000	
	2,0	4,0	304	1000 x 2000	
	2,0	4,0	Stål	1000 x 2000	
15 x 15	1,6	2,8	Fz	1200 x 2000	
	2,0	3,1	Stål	1000 x 2000	1250 x 2500
	2,0	3,1	Fz	1000 x 2000	1250 x 2500
	2,0	3,1	304	1000 x 2000	
17 x 17	2,0	3,0	Stål	1000 x 2000	
20 x 20	2,0	2,4	Stål	1000 x 2000	1250 x 2500
	2,0	2,4	304	1000 x 2000	
	2,5	3,8	Stål		Max. 2000 x 5000
	2,5	3,8	Fz		Max. 2000 x 5000
	2,8	4,7	Stål		Max. 2000 x 5000
	2,8	4,7	Fz		Max. 2000 x 5000
24 x 24	3,0	5,0	Stål	1000 x 2000	1250 x 2500
	3,0	3,6	236L		1600 x 2400
	3,2	5,8	Stål		Max. 2000 x 5000
	3,2	5,8	Fz		Max. 2000 x 5000
	2,5	3,9	Stål		Max. 2000 x 5000
	2,5	3,9	FZ		Max. 2000 x 5000
	2,8	3,9	Stål		Max. 2000 x 5000
	2,8	3,9	Fz		Max. 2000 x 5000
	3,2	5,0	Stål		Max. 2000 x 5000
	3,2	5,0	Fz		Max. 2000 x 5000

Masker	Tråd (Ø)	Vægt (kg/m ²)	Materiale	Dimensioner	Dimensioner	
25 x 25	2,0	2,0	Fz	1000 x 2000		
	2,5	3,1	Stål	1000 x 2000		
	2,5	3,1	304	1000 x 2000		
	3,0	4,3	Stål	1000 x 2000		
	3,0	4,3	304	1000 x 2000		
	4,0	7,7	Stål	1000 x 2000		
30 x 30	2,5	2,6	Stål		Max. 2000 x 5000	
	2,5	2,6	Fz		Max. 2000 x 5000	
	2,8	3,2	Stål		Max. 2000 x 5000	
	2,8	3,2	Fz		Max. 2000 x 5000	
	3,0	3,7	Stål	1000 x 2000	1250 x 2500	
	3,0	3,7	Fz	1000 x 2000	1250 x 2500	
	3,0	3,7	304	1000 x 2000	1250 x 2500	
	3,0	3,7	316	1000 x 2000		
	3,2	4,0	Stål		Max. 2000 x 5000	
	3,2	4,0	Fz		Max. 2000 x 5000	
	3,6	5,0	Stål		Max. 2000 x 5000	
	3,8	5,7	Fz		Max. 2000 x 5000	
	35 x 35	2,5	2,3	Stål		Max. 2000 x 5000
		2,5	2,3	Fz		Max. 2000 x 5000
2,8		2,8	Stål		Max. 2000 x 5000	
2,8		2,8	Fz		Max. 2000 x 5000	
3,2		3,5	Stål		Max. 2000 x 5000	
3,2		3,5	Fz		Max. 2000 x 5000	
3,6		4,3	Stål		Max. 2000 x 5000	
3,8		5,3	Stål		Max. 2000 x 5000	
3,8		5,3	Fz		Max. 2000 x 5000	
4,0		5,8	Stål		Max. 2000 x 5000	
40 x 40	2,5	2,0	Stål		Max. 2000 x 5000	
	2,8	2,4	Stål		Max. 2000 x 5000	
	2,8	2,4	Fz		Max. 2000 x 5000	
	3,0	2,7	Stål	1000 x 2000		
	3,0	3,0	Fz	1000 x 2000		
	3,0	2,9	304	1000 x 2000		
	3,2	3,1	Stål		Max. 2000 x 5000	
	3,2	3,1	Fz		Max. 2000 x 5000	
	3,6	3,8	Stål		Max. 2000 x 5000	
	3,8	4,6	Stål		Max. 2000 x 5000	
	3,8	4,6	Fz		Max. 2000 x 5000	
	4,0	4,7	Stål	1000 x 2000	1250 x 2500	
	4,0	4,7	Fz	1000 x 2000	1250 x 2500	
	4,0	4,7	304	1000 x 2000	1250 x 2500	
5,0	7,1	Stål	1000 x 2000			
50 x 50	2,8	2,0	Stål		Max. 2000 x 5000	
	3,2	2,6	Stål		Max. 2000 x 5000	
	3,2	2,6	Fz		Max. 2000 x 5000	
	3,6	3,2	Stål		Max. 2000 x 5000	
	3,8	3,7	Stål		Max. 2000 x 5000	
	3,8	3,7	Fz		Max. 2000 x 5000	
	4,0	3,8	Stål	1000 x 2000	1250 x 2500	
	4,0	3,8	Fz	1000 x 2000	1250 x 2500	
	4,0	3,8	304	1000 x 2000	1250 x 2500	
	5,0	5,8	Stål	1000 x 2000	1250 x 2500	
	5,0	5,8	1774		1250 x 2500	

Masker	Tråd (Ø)	Vægt (kg/m ²)	Materiale	Dimensioner	Dimensioner
	5,0	5,8	Fz	1000 x 2000	
	8,0	14,0	Stål	1000 x 2000	
	8,0	16,0	1774		1250 x 2500
57 x 57	3,2	2,3	Stål		Max. 2000 x 5000
	3,6	2,8	Stål		Max. 2000 x 5000
	3,8	3,3	Stål		Max. 2000 x 5000
	3,8	3,3	Fz		Max. 2000 x 5000
	4,0	3,7	Stål		Max. 2000 x 5000
60 x 60	5,8	6,1	Stål	1000 x 2000	
75 x 75*	5,0	4,4	Stål		1500 x 2500
100 x 100*	10,0	10,0	1774		

*Kreppet presgitter kan ikke tilbydes i disse maskestørrelser

Alle data er angivet i mm.

Ring 57 52 75 75
for tilbud på dit projekt ...